

EAST Search History

S38	0	S37 with S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:52
S39	0	S37 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:53
S40	14005	713/155 or 713/168 or 713/169 or 713/170 or 380/23 or 380/25 or 380/255 or 380/259 or 380/281 or 380/44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:55
S41	92	S37 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:23
S42	10	("20050063544".pn. or "20040083363".pn. or "20040236965".pn. or "4649233". pn. or "20020067832".pn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:25
S43	13754594	S42 (master or premaster or code or pin or key) or (authenticat\$3 or validat\$4) or (digest or hash\$3) or (node or end or entit\$2 or user or platform or configurat\$3 or stor\$3 or memory or certif\$4 or SHA or trust\$2 or identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:31
S44	0	S42 ((master or premaster or code or pin or key) or (authenticat\$3 or validat\$4) or (digest or hash\$3) or (node or end or entit\$2 or user or platform or configurat\$3 or stor\$3 or memory or certif\$4 or SHA or trust\$2 or identit\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:32

EAST Search History

S45	10	S42 and((master or premaster or code or pin or key) or (authenticat\$3 or validat\$4) or (digest or hash\$3) or (node or end or entit\$2 or user or platform or configurat\$3 or stor\$3 or memory or certif\$4 or SHA or trust\$2 or identit\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:56
S46	0	S42 and((master or premaster or code or pin or key) or (authenticat\$3 or validat\$4) or (digest or hash\$3) or (node or end or entit\$2 or user or platform or configurat\$3 or stor\$3 or memory or certif\$4 or SHA or trust\$2 or identit\$3)) and ("200201184491" or "6918036")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 08:57
S47	15	((master or premaster or code or pin or key) or (authenticat\$3 or validat\$4) or (digest or hash\$3) or (node or end or entit\$2 or user or platform or configurat\$3 or stor\$3 or memory or certif\$4 or SHA or trust\$2 or identit\$3)) and ("200201184491" or "6918036" or S42)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 13:29

EAST Search History

S31	1	S28 and (quadratic residuosity or (weil or tate) adj pair\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 16:27
S32	12	(identif\$3 bas\$2 or ibe) and (quadratic residuosity or (weil or tate) near pair\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 16:28
S33	2	"20010052071".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 13:08
S34	14813	(authenticat\$3 or validat\$3) with (endpoint or node or user or client or entit\$2 or server) with (id or configurat\$3 data or master key or secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:48
S35	105	(hash\$3 or digest) with (platform configurat\$3 or private or secret or pre master or master) with (trust\$3 platform or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:50
S36	5639	(encrypt\$3 or encipher\$3 or cipher\$3) with (secret or master or private or ID or serial number) with (secure channel or communicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:52
S37	287	S34 with S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 15:52